


ترخيص مؤسسة صحية خاصة
طبقاً لأحكام المرسوم بقانون رقم 21 لسنة 2015
License of a Private Health Facilities
According to legislative Decree No. (21) For the year 2015

Facility Name: The New Indian School Health Unit اسم المؤسسة:
License no.: 33000057 رقم الترخيص:
Registration Date: 26/02/2019 تاريخ التسجيل:
Licensee: The New Indian School W.L.L المرخص له:
Classification of Facility: Health Unit تصنيف المؤسسة:
The Practice: Health Unit النشاط:
Health Services : Nursing Care Services الخدمات الصحية:
Expiry Date: 25/02/2022 تاريخ الانتهاء: Issue Date : 26/02/2021 تاريخ الاصدار:

Address: العنوان:
Flat: - شقة: Building: 129 بناية:
Road: 4104 شارع: Block: 941 مجمع:
P.O. Box: - ص.ب: Area: Riffa المنطقة:
Governorate: South المحافظة:

Receipt No: 211001669 رقم الرصيد: Payment Date: 27/04/2021 تاريخ الرصيد:


JAAN M.T. THOTTUMALIL
CHAIRMAN
THE NEW INDIAN SCHOOL W.L.L
KINGDOM OF BAHRAIN


Dr. Mariam Adhbi AL-Jalahma
Chief Executive Officer


KOLLATH GOPINATH
Principal



CERTIFICATE OF ANALYSIS

THE NEW INDIAN SCHOOL

Manama, Kingdom of Bahrain

DATE : 10.06.2021
REQ. NO. : WWQ-210608/1333
SAMPLE NO. : WWS-210608/2
REPORT NO. : WWR-210608/1902




PROJECT/LOCATION : Sanad
SAMPLE DESCRIPTION : Domestic Water from Kitchen Sink
DATE SAMPLED : 07.06.2021
DATE TESTED : 07.06.2021 - 10.06.2021

S. NO.	PARAMETER	TEST METHOD	UNIT	RESULT
1	pH @ 25°C	APHA 4500 H ⁺ -B	-	7.2
2	Electrical Conductivity @ 25°C	APHA 2510 B	µmhos/cm	355
3	Total Dissolved Solids (TDS)	APHA 2540 C	mg/L	188
4	Chloride (Cl)	APHA 4500 Cl-B	mg/L	62
5	Sulphate (SO ₄)	APHA 4500 SO ₄ ²⁻ -E	mg/L	<1
6	Calcium (Ca)	APHA 3500 Ca-B	mg/L	32
7	Total Hardness as CaCO ₃	APHA 2340-C	mg/L	83
8	Magnesium (Mg)	APHA 3500 Mg-B	mg/L	0.7
9	Total Alkalinity as CaCO ₃	APHA 2320-B	mg/L	82
10	Bicarbonate (HCO ₃)	APHA 2320-B	mg/L	100
11	Sodium (Na)	APHA 3120-B	mg/L	38
12	Potassium (K)	APHA 3120-B	mg/L	1.6
13	Iron (Fe)	APHA 3500 Fe-B	mg/L	0.01
14	Nitrate Nitrogen (NO ₃ -N)	APHA 4500 NO ₃ -E	mg/L	0.02
15	Escherichia Coli	APHA 9222 G	CFU/100mL	<1
16	Total Coliforms	APHA 9222 B		<1
17	Pseudomonas Aeruginosa	APHA 9213 E		<1

SAPPANI MUTHIAH

Manager - Chemistry & Microbiology

Checked by:  /raks

DISCLAIMER

The test reports / certificates issued by AAS are records of the actual test conducted on sample and the details submitted to us for testing and the results thereof.
The results are applicable only to those sample/s, which have been tested and do not apply to other sample/s even though declared to be identical.
Test report / certificate if reproduced, for any purpose commercial or otherwise, should be reproduced in full.
AAS shall not be liable for any changes in reported factual data due to any cause related to sample tested after the report / certificate, in respect of it, has been issued.
The results reported in the test report / certificates are valid only at the time of and under the stated conditions of the testing.
Measurements are traceable to National/International Standards.

Form No.: AAS-08-QSRF-CHE-001 Rev.0

Page 2 of 3


Chemical / Environmental / Microbiology / Food / Drugs / Petroleum



Independent Testing Laboratory
Mina Salman Industrial Area, P.O. Box 26577, Manama, Kingdom of Bahrain
t +973 17 727 450 f +973 17 727 452 info@alhotybahrain.com alhotybahrain.com



KOLLATH GOPINATH


JAAN M.T. THOTTUMALIL
CHAIRMAN
THE NEW INDIAN SCHOOL W.L.L.

CERTIFICATE OF ANALYSIS

THE NEW INDIAN SCHOOL

Manama, Kingdom of Bahrain


DATE : 10.06.2021
REQ. NO. : WWQ-210608/1333
SAMPLE NO. : WWS-210608/1
REPORT NO. : WWR-210608/1902




PROJECT/LOCATION : Sanad
SAMPLE DESCRIPTION : Cooler Water collected from Kitchen
DATE SAMPLED : 07.06.2021
DATE TESTED : 07.06.2021 - 10.06.2021

S. NO.	PARAMETER	TEST METHOD	UNIT	RESULT	WHO DRINKING WATER GUIDELINES
1	pH @ 25°C	APHA 4500 H ⁺ -B	-	7.0	6.5-8.5
2	Electrical Conductivity @ 25°C	APHA 2510 B	µmhos/cm	206	-
3	Total Dissolved Solids (TDS)	APHA 2540 C	mg/L	110	Max. 1000
4	Chloride (Cl)	APHA 4500 Cl-B	mg/L	60	Max. 250
5	Sulphate (SO ₄)	APHA 4500 SO ₄ ²⁻ -E	mg/L	<1	Max. 400
6	Calcium (Ca)	APHA 3500 Ca-B	mg/L	17	-
7	Total Hardness as CaCO ₃	APHA 2340-C	mg/L	86	-
8	Magnesium (Mg)	APHA 3500 Mg-B	mg/L	11	-
9	Total Alkalinity as CaCO ₃	APHA 2320-B	mg/L	16	-
10	Bicarbonate (HCO ₃)	APHA 2320-B	mg/L	20	-
11	Sodium (Na)	APHA 3120-B	mg/L	2.9	-
12	Potassium (K)	APHA 3120-B	mg/L	4.6	-
13	Iron (Fe)	APHA 3500 Fe-B	mg/L	0.02	Max 0.3
14	Nitrate Nitrogen (NO ₃ -N)	APHA 4500 NO ₃ -E	mg/L	0.02	Max. 10.0
15	Escherichia Coli	APHA 9222 G	CFU/100mL	0	0
16	Total Coliforms	APHA 9222 B		0	0
17	Pseudomonas Aeruginosa	APHA 9213 E		0	0

Remarks : Based on the tested parameters, the water meets the World Health Organization (WHO) Drinking Water Guidelines.


SAPPANI MUTHIAH
Manager - Chemistry & Microbiology

Checked by: 
/raks

DISCLAIMER

The test reports / certificates issued by AAS are records of the actual test conducted on sample and the details submitted to us for testing and the results thereof.
The results are applicable only to those sample/s, which have been tested and do not apply to other sample/s even though declared to be identical.
Test report / certificate if reproduced, for any purpose commercial or otherwise, should be reproduced in full.
AAS shall not be liable for any changes in reported factual data due to any cause related to sample tested after the report / certificate, in respect of it, has been issued.
The results reported in the test report / certificates are valid only at the time of and under the stated conditions of the testing.
Measurements are traceable to National/International Standards.

Form No.: AAS-08-QSRF-CHE-001 Rev.0

Page 1 of 3


Chemical / Environmental / Microbiology / Food / Drugs / Petroleum



Independent Testing Laboratory
Mina Salman Industrial Area, P.O. Box 26577, Manama, Kingdom of Bahrain
t +973 17 727 450 f +973 17 727 518 info@alhotybahrain.com alhotybahrain.com




KOLLATH GOPINATH


JAAAN M.T. THOTTUMALIL
CHAIRMAN
THE NEW INDIAN SCHOOL W.L.L.

CERTIFICATE OF ANALYSIS

THE NEW INDIAN SCHOOL

Manama, Kingdom of Bahrain

DATE : 10.06.2021
REQ. NO. : WWW-210608/1333
SAMPLE NO. : WWS-210608/3
REPORT NO. : WWR-210608/1902




PROJECT/LOCATION : Sanad
SAMPLE DESCRIPTION : Sweet Water from Cooler - Ground Floor
DATE SAMPLED : 07.06.2021
DATE TESTED : 07.06.2021 - 10.06.2021

S. NO.	PARAMETER	TEST METHOD	UNIT	RESULT	WHO DRINKING WATER GUIDELINES
1	pH @ 25°C	APHA 4500 H ⁺ -B	-	7.3	6.5-8.5
2	Electrical Conductivity @ 25°C	APHA 2510 B	µmhos/cm	231	-
3	Total Dissolved Solids (TDS)	APHA 2540 C	mg/L	118	Max. 1000
4	Chloride (Cl)	APHA 4500 Cl-B	mg/L	50	Max. 250
5	Sulphate (SO ₄)	APHA 4500 SO ₄ ²⁻ -E	mg/L	7	Max. 400
6	Calcium (Ca)	APHA 3500 Ca-B	mg/L	6.0	-
7	Total Hardness as CaCO ₃	APHA 2340-C	mg/L	23	-
8	Magnesium (Mg)	APHA 3500 Mg-B	mg/L	1.9	-
9	Total Alkalinity as CaCO ₃	APHA 2320-B	mg/L	24	-
10	Bicarbonate (HCO ₃)	APHA 2320-B	mg/L	29	-
11	Sodium (Na)	APHA 3120-B	mg/L	34	-
12	Potassium (K)	APHA 3120-B	mg/L	1.8	-
13	Iron (Fe)	APHA 3500 Fe-B	mg/L	0.01	Max 0.3
14	Nitrate Nitrogen (NO ₃ -N)	APHA 4500 NO ₃ -E	mg/L	0.11	Max. 10.0
15	Escherichia Coli	APHA 9222 G	CFU/100mL	0	0
16	Total Coliforms	APHA 9222 B		0	0
17	Pseudomonas Aeruginosa	APHA 9213 E		0	0

Remarks : Based on the tested parameters, the water meets the World Health Organization (WHO) Drinking Water Guidelines.


SAPPANI MUTHIAH
Manager - Chemistry & Microbiology

Checked by:  /raks

DISCLAIMER

The test reports / certificates issued by AAS are records of the actual test conducted on sample and the details submitted to us for testing and the results thereof.
The results are applicable only to those sample/s, which have been tested and do not apply to other sample/s even though declared to be identical.
Test report / certificate if reproduced, for any purpose commercial or otherwise, should be reproduced in full.
AAS shall not be liable for any changes in reported factual data due to any cause related to sample tested after the report / certificate, in respect of it, has been issued.
The results reported in the test report / certificates are valid only at the time of and under the stated conditions of the testing.
Measurements are traceable to National/International Standards.

Form No.: AAS-08-QSRF-CHE-001 Rev.0

Page 3 of 3

Chemical / Environmental / Microbiology / Food / Drugs / Petroleum



Independent Testing Laboratory
Mina Salman Industrial Area, P.O. Box 26544, Manama, Kingdom of Bahrain
t+973 17 727 450 f+973 17 727 500 info@alhotybahrain.com alhotybahrain.com




KOLLATH GOPINATH


JAAN M.T. THOTTUMALIL
CHAIRMAN
THE NEW INDIAN SCHOOL W I I



مؤسسة لولو للصيانة والتنظيفات
LULU CONTRACTING CLEANING & MAINTENANCE

DATE : 01/04/2021

TO

THE CHAIRMAN

THE NEW INDIAN SCHOOL W.L.L

P.O. BOX – 33131

ISA TOWN

KINGDOM OF BAHRAIN

CONTRACT FOR CLEANING AND SANITATION OF THE NEW INDIAN SCHOOL W.L.L.


This is to certify that the cleaning and sanitation of The New Indian School W.L.L. is under the contract of Lulu Cleaning Company. We supply adequate man power for the cleaning and sanitation of the school.

The cleaning and sanitation quality is maintained as prescribed by the Ministry of Health, Kingdom of Bahrain

Thanking you with regards

FOR LULU CLEANING & MAINT. EST.,




JAAN M.T. THOTTUMALIL
CHAIRMAN
THE NEW INDIAN SCHOOL W.L.L
KINGDOM OF BAHRAIN




KOLLATH GOPINATH
Principal

